INDEX.

Page.

Acanthaegilips brasiliensis..... 434
Acantheucoela armata..... 449
Acanthocharax microlepis..... 20
Acanthomyites aldrichi..... 33
Achtheinus dentatus..... 6
Acomus dulcis generosus..... 27, 28
Adelocephala nettia..... 383
Aegathoe lazzari..... 461
Afrida purulha..... 350
Agylla arthona..... 349
nivea..... 349
Alces?, species indeterminable..... 609, 610
Alebion fuscus..... 2
Algansea obesa..... 28
Allomorpha pulchripes..... 94
Allosaurus medius..... 582
Alveolina pulchra..... 77
Ammobaculites reophaciformis..... 49
Amonophadnus submetallicus..... 104
Amphibole from Idaho, description of Ferro-anthophyllite, an orthorhombic iron..... 397
Amphistegina gibbosa..... 62
Andricus apicalis..... 222
championi..... 212
rhizoxenus..... 211
Angitia andrevis..... 368
crepuscula..... 367
cothera..... 367
Anona ampla..... 173
costaricana..... 173
guppyi..... 567
jahnii..... 173
lutescens..... 173
macgravii..... 173
montana..... 173
paludosa..... 173
sphaerocarpa..... 173
Antholithus venezuelensis..... 578
Antilocapra americana?..... 618, 626
Antiopha modica..... 384
Apocynophyllum salvadorensis..... 579
Arge annulitarsis..... 89
dentipes..... 90
Argulus foliaceus..... 430
Arneus thynni..... 5
Arsenura championi..... 377
undilinea..... 377
Articulina conico-articulata..... 73
lineata..... 73
sagra..... 64, 73
Artocarpus chaplasha..... 565
ovatifolia..... 565
Arundel formation of Maryland, the fauna of.. 581
Ashmead, notes on certain genera of parasitic Cynipidae proposed by, with descriptions of genotypes..... 433

Page.

Asilus palaeolestes..... 31
(Tolmerus) notatus..... 31
Asterigerina carinata..... 48, 60
lobata..... 61
Astrodon johnstoni..... 587
Aulicus, new species of North American Clerid beetles of the genus..... 151
Aulicus attennatus..... 158
dentipes..... 157
femoralis..... 151, 154
fissipes..... 155
monticola..... 151, 154
nero..... 151, 156
nigriventris..... 156
Autelia chromatica..... 368
Automeris macphaili..... 377
Bagisara lulua..... 366
Balanus balanus pugetensis..... 111
cariosus..... 112
crenatus..... 112, 113, 115
engbergi..... 113, 115
glandula..... 112, 114, 115
hesperius..... 113, 114
laevidomus..... 113
nubilis..... 112
rostratus heteropus..... 111
Barnacles of the San Juan Islands, Washington..... 111
Barrettia monilifera..... 454
Bassettia floridana..... 233
tenuana..... 232
Batagur iravadica..... 463
trivittata..... 463
Beetles, Myrmecophilous, three new..... 547
Beetles of the genus Aulicus, new species of North American Clerid..... 151
Beetles, predaceous, of the tribe Tillini, in the U. S. National Museum..... 269
Beldonea lubens..... 97
rugifrons..... 97
Belonocnema floridana..... 238
fossoria..... 240
kinseyi..... 241
treatae..... 237, 238
Berry, Edward W., A palm nut from the Miocene of the Canal Zone. 21
Tertiary fossil plants from Costa Rica..... 169
Tertiary fossil plants from the Dominican Republic..... 117
Tertiary fossil plants from Venezuela..... 553
Bigenerina nodosaria..... 51
Biloculina denticulata..... 74
elongata..... 74

Page.

Biloculina oblonga... 74
ringens, var. denticulata... 74
subsphaerica... 73
Binoculus caudatus... 430
Biorhiza caepuliformis... 206
ocala... 207
Bison, species indeterminable... 609, 610
Blake, S. F. Sexual differences in coloration in the spotted turtle, Clemmys guttata... 463
Blakeanus corniger... 11
Blechnum betijoqensis... 559
brasiliense... 559
serrulatum... 559
Bolivina punctata... 51
Brachylagus brownl... 618, 630
idahoensis... 630, 631
Brachytoma chalybeata... 163
melanopyga... 165
Bryobia breviocrnis... 662
longicornis... 662
pallida... 661
praetiosa... 662
pratensis... 661
Bucida sanchezensis... 123
Buddhist art in the United States National Museum... 291
Bumelia reclinatafolia... 125
Bursera tes fayettensis... 575
Buttneria affinis... 175
cinnamomifolia... 175
elliptica... 175
laevigata... 175
Callirhytis apicalis... 223
corallosa... 216
ellipsoida... 227, 229
elliptica... 228
enigma... 219
fulva... 226
futilis... 220, 221
hartmani... 214
marginata... 235
maxima... 217
ovata... 222
rhizoxena... 211
rhizoxenus... 211
rubida... 224
Callotillus elegans... 270
valer... 270
Calyptranthes domingensis... 117, 122
sanchezensis... 122
Camaguey and Santa Clara provinces, Cuba, new mollusks from... 247
Camelops huerfanensis... 600, 601, 604, 605, 623
Camelus arctoamericanus... 607
dromedarius... 608
maximus... 607, 608, 623
Canal Zone, a palm nut from the Miocene of the... 91
Canis latrans... 618, 633
nubilus... 618, 632, 633
Casandria abscusalis... 370
mythias... 369
Casanowicz, I. M. Descriptive catalogue of the collection of Buddhist art in the United States National Museum... 291
Celama cogia... 351
ralphia... 352

Page.

Ceratostizus monenduloides... 413
Chadiara chorista... 388
Chandler, Asa C. A new species of ray from the Texas coast and report of the occurrence of a top minnow new to the fauna of eastern Texas... 657
Characilepis tripartitus... 19
Charax gibbosus... 20
Chasmaporthetes minimus... 637
ossifragus... 618, 636
Chrysemys picta... 469
Cibdela chinensis... 91
maculipennis... 91
melanoptera... 92
poeciotricha... 92
Cirphis cheiela... 360
jaliscana... 360
multilinea... 361
pyrastis... 360
velva... 360
Cisthene locces... 349
menes... 350
Citellus franklini... 628
taylori... 616
townsendi... 616
tutus... 618, 627, 628
Clausidium, the North American semiparasitic copepods of the genus... 425
Clausidium apodiforme... 426
candatum... 430
dissimile... 427
Clavulina angularis... 52, 53
nodosaria... 53
triearinata... 52
Clemensiabrunneomedia... 351
chala... 350
remida... 351
Clemmys guttata, sexual differences in coloration in the spotted turtle... 463
Clemmys guttata... 464, 466, 469
Cockerell, T. D. A. Some Eocene insects from Colorado and Wyoming 20
Some fossil fish scales from Peru... 19
and Grace Sandhouse. Some Eocene insects of the family Fulgoridae. 455
Coelurus fragilis... 585
gracilis... 582, 585, 591
Colorado and Wyoming, Eocene insects from... 20
Compsodryoxenus humilis... 233, 236
illinoiensis... 234
tenuis... 233, 235
Copaxa canella... 377
joinvillea... 376
simpson... 377
sophronia... 376
Copepods, parasitic, new species and a new genus of... 1
Copepods, semiparasitic, of the genus Clausidium, North American... 425
Corethrura fuscovaria... 456
Cornuspira involvens... 62
Cosmia omala... 396
Costa Rica, tertiary fossil plants from... 169

Page.

Cousapoa ruizii ... 563
villosa ... 564
villosoides ... 563
Creedite, the crystallography and chemical composition of ... 419
Crematoxenus senigma ... 548
Creosaurus potens ... 582
Crocsus latitarsis ... 109
orientalis ... 109
varius ... 109
Cromaphya serricornis ... 102
Crustacea from Lake Valencia, Venezuela ... 459
Cuba, new mollusks from Camaguey and Santa Clara provinces ... 247
Cushman, Joseph A. Foraminifera from the north coast of Jamaica ... 47
Cyclops leuckarti var. edax ... 459
phaleratus ... 459
serrulatus ... 459
viridis ... 459
Cymatodera segra ... 271
angustata ... 284
balteata ... 283
belfragei ... 279
bicolor ... 278
brevicollis ... 280
californica ... 278
comans ... 282
confusa ... 282
delicatula ... 272
fuscula ... 282
var. texana ... 272
horni ... 278
inornata ... 278
knausi ... 278
latefascia ... 275
longicornis ... 275
longula ... 280
mitis ... 273
morosa ... 279
mystica ... 275
ovipennis ... 284
pallida ... 273
pilosella ... 280
pubescens ... 274
punctipollis ... 271
rudis ... 281
schwarzi ... 274
sirpata ... 277
var. spatiosa ... 277
species ... 283
subsimilis ... 273
torosa ... 275
turbata ... 272
tuta ... 277
umbrina ... 279
undulata ... 282
uniformis ... 274
usta ... 275
Cymbalopora bulloides ... 58
poeyi ... 48, 58
Cynipidae, galflies of the family, producing subterranean galls on oak ... 187
Cynipidae, notes on certain genera of parasitic, proposed by Ashmead with descriptions of genotypes ... 433
Cynomys leucurus ... 615, 616

Page.

Cynomys ludovicianus ... 615, 616
niobrarius ... 615, 616
Cyrphis macoya ... 360
Datolite from Westfield, Mass., a crystallographic study of the ... 479
De La Torre, Carlos, and John B. Henderson. New mollusks from Camaguey and Santa Clara Provinces, Cuba ... 247
Delphax veterum ... 34
Detyopsis packardi ... 455
Diaptomus conifer ... 459
Dicentria clarita ... 386
Diceratapsis grenadensis ... 450
Dieucolla subopaca ... 439
Dinematura thynni ... 5
Dinidorites margiformis ... 35
Diptermorpha rotundiventris ... 97
Dirphia ninfa ... 379
placida ... 381
rosea ... 380
tusina ... 380
Discorbina orbicularis ... 60
Discorbis auberii ... 59
orbicularis ... 60
valvulata ... 59
Disholcaspis acetabula ... 194
brevinota ... 197
ficigera ... 230
globosa ... 196
globulus ... 197
lacuna ... 195
quercus-ficigera ... 230
terristris ... 196, 198
virens ... 229
Disphragis bechica ... 387
proba ... 387
staria ... 388
Dominican Republic, tertiary fossil plants from the ... 117
Dragon-fly naiads from Texas ... 495
Dromogomphus spoliatus ... 497
Dryocosmus favus ... 200
Dryorhizoxenus floridanus ... 237
Dryptosaurus aquilunguis ... 584
medius ... 583, 591
potens ... 584, 591
Dryosaurus grandis ... 583
Ectophya consecta ... 550
simulans ... 551
Elephas columbi ... 604
Elytrophora brachyptera ... 5
hemiptera ... 4
Emys orbicularis ... 463
Endogenites echinatus ... 582
Enponatus dipona ... 42
Entada boweni ... 569
scandens ... 569, 570
Eocene insects from Colorado and Wyoming ... 29
Eoformica eocenica ... 38
Equus giganteus ... 618, 619
niobrarensis ... 609
occidentalis ... 618, 619
pacificus ... 621
species ... 609
Eriopyga carneitincta ... 358
Euclystis cayuga ... 373

	Page.
Euclystis mnyra	374
polyoperas	374
subtremula	373
Eulepidotis aglae	371
punctilinea	371
philosis	372
Eumayria floridana	230
multiarticulata	230
Eustema opaca	384
Eutelia chromatica	368
Eutudora (Eutudorops) para torquatum	265
Ewing, H. E. New Nearctic spider mites of the family Tetranychidae	659
Exogyra ponderosa	454
Fauna of the the Arundel formation of Maryland	581
Ferroanthophyllite, an orthorhombic iron amphibole from Idaho, description of	397
Ficus botijoquensis	566
talamancana	172
Figites laeviscutum	436
quinquelineata	437
Figitodes atricornis	437
Filaria martis	541
osleri	541
Fish scales, fossil, from Peru	19
Fishes, deep-sea, from the coast of Hawaii, killed by a lava flow from Mauna Loa	643
Fishes, fluvial, notes on, described by Charles Girard in 1856	23
Foraminifera from the north coast of Jamaica	47
Foshag, William F. The crystallography and chemical composition of Creedite	419
Fossil fish scales from Peru	19
Fossil plants from Costa Rica, Tertiary	169
Fossil plants from the Dominican Republic, Tertiary	117
Fossil plants from Venetuela, Tertiary	583
Fulgora maculata	457
Fulgoridae, Eocene insects of the family	455
Fustiger clavipilis	551
Gallflies of the family Cynipidae producing subterranean galls on oak	157
Gila elegans	28
Gilmore, Charles W. The fauna of the Arundel formation of Maryland	581
Girard, Charles, notes on some western fluvial fishes described by	23
Givira gnoma	391
guata	391
modisma	392
quadra	391
Globigerina bulloides	48, 54
dutertrei	48, 55
rubra	48, 55
siphonifera	54
Glyptops caelatus	500
Goeppertia tertiaria	176
Gomphus (Arigomphus) subapicalis	596
submedianus	596
(Stylurus) plagiatus	597
Goniopholis affinis	582, 589
Genostygia jacopa	385
Gopha praxia	396
Gorytes belfragei	413
Gorytes moneduloides	412, 413
Grammicolepis brachiusculus	651
Guettarda cookei	125
Guttulina vitrea	54
Hall, Maurice C. Two new genera of nematodes, with a note on a neglected nematode structure	541
Hammapteryx ceryniiformis	455
lapidoides	455
reticulata	455
tripunctata	455
Hamulus Morton, the fossil annelid genus, an operculate serpula	41
Hamulus angulatus	45, 46
jonahensis	44
major	44
onyx	42, 43
species	46
squamosus	45, 46
Hapigia dorema	330
Hauerina bradyi	72
compressa	72
ornatissima	72
Hawaii, new deep-sea fishes from	643
Hay, Oliver P. Descriptions of species of pleistocene vertebrata, types or specimens of most of which are preserved in the United States National Museum	509
Heliconia elegans	560
Hemichroa crocea	108
(Hemichroa) orientalis	108
major	108
Hemipectrona julius	390
vinnea	391
Henderson, John B., and Carlos de La Torre. New mollusks from Camaguey and Santa Clara provinces, Cuba	247
Heralia spodiformis	425
Heterochroma celestina	361
rollia	362
Heteroperreyia costata	165
Heterostegina antillarum	62
Hieronymia lehmanni	174
Hippia gracita	334
Hippurites variabilis	42
Hyaena hyaena	637
Hyalella inermis	460
Hydroeciodes marcona	359
ritaris	359
Hylesia chirex	382
croex	382
dyarex	381
tinturex	382
Hyostrongylus rubidus	544, 545
Hypopta albipuncta	395
clymene	395
delicata	394
vassilia	394
"Ichneumon-flies," first supplement to Type species of genera of	129
Idaho and Korea, ludwigites from	667
Idaho, Clearwater County, description of Vivianite encrusting a fossil tusk from gold placers of	415

Page.

Idaho, description of Ferroanthophyllite, an orthorhombic iron amphibole from 307
Ilice linces..... 350
Inga oligocenenica..... 120
reissi..... 174
sanchezensis..... 120
sheroliensis..... 174
Inophloeum (Olmedia) armatum..... 565
Insects, Eocene, from Colorado and Wyoming of the family Fulgoridae..... 455
Eocene, Iriartites tumbesensis..... 21
vaughani..... 21
Jamaica, foraminifera from the north coast of. 47
Jermakia dentisterna..... 97
Jordan, David Starr. Description of deep-sea fishes from the coast of Hawaii, killed by a lava flow from Mauna Loa..... 643
Kachuga trivittata..... 403
Kennedy, Clarence Hamilton. Some interesting dragon-fly naiads from Texas..... 505
Kieffieriella rugosa..... 435
Korea and Idaho, ludwigites from..... 667
Lampanyctus crocodilus..... 646
jordani..... 645
Lathonura rectirostris..... 439
Lebia amisa..... 36
divisa..... 35
protospilopteria..... 35, 38
Lacontella cancellata..... 271
Leguminocites entadaformis..... 572
venezuelensis..... 572
Lentagena eureca..... 302
ophelia..... 302
perfida..... 302
Lepeophtheirus longipes..... 1
Lepidoptera in the U. S. National Museum, new species of..... 349
Leptotrichus pittieri..... 460
Lepus alleni..... 629
benjamini..... 618, 628
californicus..... 630
callotis..... 630
campestris..... 628, 630
gallardi..... 629
species indeterminable..... 609, 613
Liometopum pingue..... 38
Lithopsis dubiuosa..... 456
fimbriata..... 456
similima..... 456
Loa excelsa..... 652
Lophyroides dorsuaria..... 164
fulva..... 165
grandis..... 163
melangastra..... 163
melanopyga..... 164
modesta..... 164
tropicus..... 161
Ludwigites from Idaho and Korea..... 667
Macrobrachium acanthurus..... 462
jamaicense..... 462
Macrophya lubens..... 97
lucida..... 101
Mann, William M. Three new Myrmecophilous beetles..... 547

Page.

Marmota arizonae..... 618, 627
arrodens..... 609, 610, 612, 613
caligata..... 611
flaviventer..... 609, 610, 613
flaviventer..... 612
obscura..... 627
sierrae..... 612
monax..... 612
vancouverensis..... 612, 613
Maryland, fauna of the Arundel formation of. 561
Massilina asperula..... 72
inaequalis..... 72
Mauna Loa, deep-sea fishes killed by a lava flow from..... 643
Megalomeryx niobrarensis..... 601
Megalonyx jeffersonii..... 609
Melastomites domingensis..... 124
Melolonthites avus..... 36
Merrill, George P. On the mineral composition and structure of the Troup meteorite.. 477
Meteorite, the Troup, Texas..... 471
Meteorite, Troup, the mineral composition and structure of the..... 477
Metoponorthus pruinosus..... 460
Mexico, a new cretaceous Rudistid from the San Felipe formation of..... 453
Miliolina alveoliniformis..... 64
undosa..... 66
Minnow, report of the occurrence of a top, new to the fauna of Eastern Texas..... 557
Miocene of the Canal Zone, palm nut from.. 21
Mitella polymerus..... 112
Modiolicola inermis..... 16
jamaicensis..... 15
Modiolus vulgaris..... 18
Moinodaphnia macleayii..... 459
Mollusks from Camaguey and Santa Clara Provinces, Cuba..... 247
Monophylla californica..... 270
pallipes..... 270
terminata..... 269
Musa ensete..... 561
Musophyllum complicatum..... 561
elegans..... 171, 560
Myliobatis californicus..... 9
Mylodon robustus..... 638, 639
sodalis..... 638, 639
Mylohyus, species indeterminable..... 618, 619
Mytilus edulis..... 16
Naiads, dragon-fly, from Texas..... 505
Naprepa pallescens..... 109
Nautilus aduncus..... 77
antillana..... 178
(Orthoceras) cornico-articulatus..... 73
pertusus..... 75
Nectandra antillana..... 178
antillanaefolia..... 178
areolata..... 177
gardneri..... 177
lancifolia..... 178
reissi..... 177
woodringi..... 177
Nematodes, two new genera of..... 541
Nemoteius eocenicus..... 32
Neodiprion (Neodiprion) excitans..... 93
eximius..... 93

Page.

Neotoma cinerea... 618, 628
Nola baracoa... 353
cubensis... 355
elsa... 355
folgona... 353
habrophyes... 356
joanna... 352
limona... 356
marie... 356
parana... 352
recedens... 354
rubescens... 354
santamaria... 353
turbana... 356
yegua... 357
Nemiouina boncana... 61
grateloupi... 61
sloanii... 61
Nut, palm, from the Miocene of the Canal Zone... 21
Nyctimaster reinhardti... 645
Nysson aureobalteatus... 406
(Brachystegus) barberi... 410
foxii... 409
gagates... 410
opulentus, var. dakotensis... 411
(Foxia) secunda... 407
(Nysson) aurinotus... 407
intermedius... 407
mariatti... 408
minimus... 408
sphecoideus... 408
texanus... 404
(Zanysson) aureobalteatus... 406
fuscipes... 405
plesia... 406
texanus... 406
Nyssoninæ, some notes on wasps of the subfamily, with descriptions of new species... 413
Nystalea scarra... 383
Odocoileus, species indeterminable... 608, 610
virginianus... 610
Odontaucella chapadae... 441
Odontocynips nebulosa... 210
Ogdoconta gamura... 365
pulverulenta... 365
Oligonychus americanus... 660
major... 660
minimus... 660
Operculina involvens... 62
Opisthosiphon berryi... 248
dalli... 254
Opisthosiphon (Opisthosiphon) detectum... 261
judasense... 260
lamellicostatum... 263
obtectum... 262
Opisthosiphon (Opisthosiphon) obtectum obtectum... 262
Opisthosiphon (Opisthosiphon) obtectum tenuicostum... 263
Opisthosiphon (Opisthosiphon) protractum... 260
(Opisthosiphona) apertum... 253
berryi... 248
berryi... 249

Page.

Opisthosiphon (Opisthosiphona) berryi semiapertum... 249
Opisthosiphon (Opisthosiphona) bioscai... 255
Opisthosiphon (Opisthosiphona) bioscai bioscai... 256
Opisthosiphon (Opisthosiphona) bioscai tersum... 256
Opisthosiphon (Opisthosiphona) dalli... 254
evanidum... 257
Opisthosiphon (Opisthosiphona) evanidum degeneratum... 258
Opisthosiphon (Opisthosiphona) evanidum evanidum... 258
Opisthosiphon (Opisthosiphona) obturatum... 252
Opisthosiphon (Opisthosiphona) obturatum banaoense... 253
Opisthosiphon (Opisthosiphona) obturatum obturatum... 252
Opisthosiphon (Opisthosiphona) obturatum subobturatum... 253
Opisthosiphon (Opisthosiphona) occultum... 258
paredonense 250
Opisthosiphon (Opisthosiphona) paredonense paredonense... 251
Opisthisiphon (Opisthosiphona) paredonense transitorium... 251
Opisthosiphon (Opisthosiphona) salustii... 256
Orbiculina adunca... 76, 77
compressa... 76
Orbitolites duplex... 77
Orbulites macropora... 77
Ormiscodes dentimaculata... 379
panamensis... 379
parallela... 378
Ornataporta marylandica... 42
Ornithomimus affinis... 566
(Struthiomimus) altus... 567
Ornithostrongylus quadriradiatus... 545
Oslerus osleri... 542
Palaeoscincus costatus... 568
Palkurus triangularis... 42
Palm nut from the Miocene of the Canal Zone... 21
Paralabrax clathratus... 1
Paralichthys californicus... 9
Parangitia corma... 367
mulator... 366
Pearse, A. S. Crustacea from Lake Valencia, Venezuela... 459
Peneroplis arietinus... 75
carinatus... 75
cylindraceus... 75
discoideus... 76
dubius... 75
pertusus... 75, 76
planatus... 75
protea... 75
proteus... 74, 75
Pentatoma appendiculatum... 35
Perigea baalba... 383
parista... 383
Peristedion engyceros... 654
gilberti... 655
Percara discovata... 385
sylvestris... 385
Perola jorgenseni... 390

Page.

Perreyia compta ... 166
lepida ... 163
unicolor ... 166
Perreyiinae, notes and descriptions of neotropical sawflies of the subfamily ... 161
Peru, fossil fish scales from ... 19
Philangiaus beatrix ... 393
Phricodia jorgenseni ... 378
Phuphena proselyta ... 364
Phyllites costaricensis ... 178
Pilsbry, Henry A. Barnacles of San Juan Islands, Washington ... 111
Piperites cordatus ... 171, 172
quinquecostatus ... 172
Pisonia conditi ... 119
Pithecolobium samanensis ... 120
Planorbulina acervalis ... 55, 56
f·rcta var. vulgaris ... 56
mediterranensis ... 55, 56
vulgaris ... 55
Plants, Tertiary fossil, from Costa Rica ... 160
Plants, Tertiary fossil, from the Dominican Republic ... 117
Plants, Tertiary fossil, from Venezuela ... 553
Pleistocene vertebrata, descriptions of species of ... 599
Pleurocoelus altus ... 582, 587
nanus ... 587
Poacitas, species ... 118
Polyipnus nuttingi ... 646
Polymorphina cf. vitrea ... 54
Polystomella crispa ... 61
lanieri ... 48, 61
poeyana ... 62
sagra ... 61
cf. striato-punctata ... 62
Pomatoceros tetraceros ... 42
Priconodon crassus ... 588
Procamelus coconinensis ... 605, 606, 618, 622, 623, 625
longurio ... 618, 624, 625
major ... 605, 606, 622, 623, 625, 627
minimus ... 627
minor ... 627
Progomphus obscurus ... 595
Promiomera filicornis ... 446
Pronemobius ornatipes ... 29, 30
tertiarius ... 29, 30
Protagrotis venipicta ... 356
Pseudomolgus hawaiiensis ... 13
species ... 15
Pteroplatea marmorata ... 9
Ptychochaetus vorax ... 28
Pulvinulina menardii ... 48, 60
oblonga ... 60
Quinqueloculina agglutinans ... 65
alveoliniformis ... 64
antillarum ... 67
auberiana ... 65
bidentata ... 65
bradyana ... 66
cuvieriana ... 65, 66
dilatata ... 67
ferussacii ... 66
kerimbatica ... 66
lamarckiana ... 65, 66
ornatissima ... 72
parkeri var. occidentalis ... 60

Page.

Quinqueloculina poeyana ... 67
polygona ... 66
suborbicularis ... 69
tricarinata ... 48, 68
Radiolites lombricalis ... 42
Raia ackleyi ... 657
eglanteria ... 657
texana ... 657
Raphignathus viridis ... 663
Ray, a new species, of, from the Texas coast ... 657
Rhamphomyia compta ... 31
enena ... 30
sudigeronis ... 30
Rhechias armiger ... 644
Rhizophora boweni ... 576
eocenica ... 577
mangle ... 576
parvifolia ... 577
Rhyacanthias carlsmithi ... 647, 649
Richardsonius egregius ... 28
Roeselia bifiliferata ... 355
inga ... 357
trias ... 357
Rohwer, S. A. Notes and descriptions of neotropical sawflies of the subfamily Perreyiinae ... 161
Notes on sawflies, with descriptions of new genera and species ... 83
Some notes on wasps of the subfamily Nyssoninae, with descriptions of new species ... 403
Rosalina antillarum ... 57
auberii ... 59
candeiana ... 57
bulloides ... 58
orbicularis ... 60
poeyi ... 58
rosea ... 56
squammosa ... 58
valvulata ... 59
Rotalia menardii ... 60
squammosa ... 58
Rotalina oblonga ... 60
reticulata ... 58
Rothschildia morana ... 375
Rudistid, cretaceous, from the San Felipe formation of Mexico ... 453
Sabalites, species ... 582
Saña sinaloa ... 370
Salmo spilurus ... 26
virginalis ... 26
Sandhouse, Grace, and T. D. A. Cockerell. Some Eocene insects of the family Fulgoridae ... 455
Sangamona, species indeterminable ... 609, 610
San Felipe formation of Mexico, a new cretaceous Rudistid from ... 453
San Juan Islands, Washington, barnacles of ... 111
Santa Clara and Camaguey provinces, new mollusks from ... 247
Sapindus georgiana ... 122
hispaniolana ... 122
Sargus vetus ... 32
Sauvageaia degolyeri ... 454
Sawflies, notes on, with descriptions of new genera and species ... 83

Page.

Sawflies of the subfamily Perreyiinae, notes and descriptions of neotropical..... 161
Scales, fossil fish, from Peru..... 19
Schaeffer, Charles. New species of North American Cleridbeetles of the genus Aulicus..... 151
Schaus, William. New species of lepidoptera in the United States National Museum.... 349
Sciabregma tenuicornis..... 36
Senoclia bilangs..... 106
dioscoreae..... 105
Serpula, an operculate, the fossil annelid genus Hamulus Morton..... 41
Serpula contortuplicata..... 42
crassa..... 42
heptagona..... 42
sexsulcata..... 44
vertebralis..... 44
Shannon, Earl V. A crystallographic study of the datolite from Westfield, Mass..... 479
Description of ferroanthophyllite, an orthorhombic iron amphibole from Idaho, with a note on the nomenclature of the anthophyllite group 397
Description of Vivianite, encrusting a fossil tusk from gold placers of Clearwater County, Idaho..... 415
Ludwigites from Idaho and Korea..... 667
Siboma atraris..... 26
Simaruba eocenica..... 574
glauca..... 574
miocenica..... 573
officinalis..... 574
Siphateles obesus..... 28
Siphamina reticulata..... 58
Snyder, John Otterbein. Notes on some western fluvial fishes described by Charles Girard in 1856..... 23
Sophora cookei..... 117, 121
europaea..... 121, 572
henryensis..... 121
salvadorana..... 571, 572
secundiflora..... 571
tomentosa..... 121, 571, 572
wilcoxiana..... 121
Spider mites, new Nearctic, of the family Tetranychidae..... 650
Spirobranchus giganteus..... 42
Spiroculina antillarum..... 63
var. angulata..... 63
arenata..... 63
asperula..... 63
grata, var. angulata..... 63
cf. ornata..... 64
Stanton, Timothy W. A new cretaceous Rudistid from the San Felipe formation of Mexico..... 453
Stenogomphus scudderi..... 30
Stibadium murisca..... 365
Stirocoris kohli..... 83
Strongylus canis bronchialis..... 541

Page.

Strongylus equinus..... 542
rubidus..... 542
Sylvilagus nuttallii..... 613
species indeterminable..... 609
Syncaligus cardinalis..... 665
mali..... 664
quercus..... 665
tridentifer..... 664, 665
Synthetocaulus pulmonalis..... 545
Taxidea robusta..... 618, 631
taxus..... 631, 632
berlandieri..... 632
Taxonus attenatus..... 94
fletcheri..... 95
Tenthredella kumaonensis..... 99
niapa..... 101
siabataka..... 100
turneri..... 99
Tenthredo balabatea..... 98
incognitus..... 98
Terrapene carolina..... 464
Tertiary fossil plants from the Dominican Republic..... 117
Tetranychidae, new Nearctic spider mites of the family..... 659
Tetranychina apicalis..... 666
harti..... 666
superba..... 666
tritici..... 665
Texas, a new species of ray from, and report of the occurrence of a top minnow new to the fauna of eastern..... 637
some interesting dragon-fly naiads from..... 595
Textularia agglutinans..... 49
candeiana..... 48, 50
caribaea..... 51
conica..... 50
sagittula..... 50
Thaumastocladius simplex..... 457
Thischrota dellinias..... 372
Thinobadistes segnis..... 638
Thomomys bottae leucodon..... 614, 615
fuscus..... 609, 613
quadratus..... 614
scudderi..... 614
Thyreocera nigrifemora..... 436
Tigoma egregia..... 28
gracilis..... 28
humboldti..... 28
Tilgidopsis haesitans..... 37
Tillini, North American predaceous beetles of the tribe..... 269
Tillus, collaris..... 270
Tomostethus (Eutomostethus) assamensis.. 107
(Tomostethus) gracilicornis.... 107
tenuicornis..... 107
Torre, de la, Carlos, and John B. Henderson. New mollusks from Camagney and Santa Clara provinces, Cuba..... 247
Trachea mancilla..... 361
Trebius latifurcatus..... 9
Tretomphalus bulloides..... 48, 58
Triachrois dellinias..... 372
Trichodactylus (Dilocarcinus) dentatus.... 462
Trigoma egregia..... 27
lineata..... 27

Page.

Trigonal varians ... 575
Trigonaspis fumosa ... 204
obconica ... 202
pumilliventris ... 205, 206
radicis ... 205, 206
radicola ... 206
Triloculina carinata ... 71
var. obscura ... 71
circularis ... 69
fichteliana ... 70
labiosa ... 70
linneiana ... 70
oblonga ... 70
planciana ... 70
quadrilateralis ... 71
suborbicularis ... 69
transversestriata ... 70
trigonula ... 69
Trissodontaspis rufipes ... 442, 443
Tropidoscolia rufipes ... 447, 448
Troup meteorite, the mineral composition and structure of the ... 477
Troup, Texas, meteorite from ... 471
Truncatulina antillarum ... 57
candeiana ... 57
reticulata ... 58
rosea ... 48, 56
Turtle, spotted, Clemmys guttata, sexual differences in coloration in the ... 463

Udden, J. A. The Troup, Texas, meteorite ... 471
Urolophus halleri ... 9

Valencia Lake, Venesuela, crustacea from ... 450
Valvulina davidiana ... 52
oviedoiana ... 51
Venesuela, Lake Valencia, crustacea from ... 45
Venesuela, tertiary fossil plants from ... 5539
Vermiculus oblongum ... 69
Verneuilina spinulosa ... 51
Vertebralina cassis ... 64
conico-articulata ... 73
mucronata ... 64
Vertebrata, Pleistocene, descriptions of species of ... 599
Vesposus egregius ... 649, 650

Page.

Viereck, Henry L. First supplement to "Type species of the genera of Ichneumonflies" ... 129
Virgulina punctata ... 52
squamosa ... 52
Vivianite, description of, encrusting a fossil tusk from gold placers of Clearwater County, Idaho ... 415
Wade, Bruce, The fossil Annelid genus Hamulus Morton, an operculate Serpula ... 41
Wasps of the subfamily Nyssoninae, some notes on, with descriptions of new species ... 403
Weld, Lewis H. American gallflies of the family Cynipidae producing subterranean galls on oak ... 187
Notes on certain genera of parasitic Cynipidae proposed by Ashmead with descriptions of genotypes ... 433
Westfield, Mass., a crystallographic study of the datolite from ... 479
Wilson, Charles Branch. New species and a new genus of parasitic copepods ... 1
The North American semiparasitic copepods of the genus Clausidium ... 425
Wolcott, A. B. North American predaceous beetles of the tribe Tillini in the United States National Museum ... 269
Wyoming and Colorado, Eocene insects from ... 29
Xiphydria abdominalis ... 83
attenuata ... 84
champlaini ... 84
flavicornis ... 87
heritierae ... 86
sub sp. borneensis ... 87
pyrura ... 88
Xystoteras contorta ... 209
Zaeucoila unicarinata ... 444, 445
Zamischus brasiliensis ... 437
Zasenocelia albocoerulea ... 104
Zygonectes henshalli ... 656